CROUSE-HINDS SERIES

IMCOS-2124 Main control unit for hospital call



Product description

IMCOS-2124 is a main control unit for hospital call application.

Features

- Different versions available:
 - console mounting panel (IMCOS-2124);
 - wall mounting unit (IMCOS-2124-W)
- Coated aluminium material:
 - black colour RAL 9005 (IMCOS-2124);
 - grey colour RAL 7001 (IMCOS-2124-W)
- The unit includes:
 - POWER indicator light;
 - ALARM indicator light;
 - RESET alarm button;
 - LED TEST button;
 - Built-in BUZZER (only IMCOS-2124);
 - DIMMER (only IMCOS-2124)
- Ingress Protection IP44




Specification

Material	Coated aluminium - black colour (IMCOS-2124); grey colur (IMCOS-2124-W)
Mounting	Console mounting (IMCOS-2124); wall mounting (IMCOS-2124-W)
Wiring	Terminal strip
Cable glands (only 2124/W)	1xPG21 (3/4") for power supply and NO/NC free contact (OPTIONAL); 1xPG29 (1") for inlet cables from alarm and/or call unit
Powering	24 V DC
Dimensions	- Height 192 mm, width 96 mm, depth in console 110 mm (IMCOS-2124); - Height 230 mm, width 100 mm, depth 110 mm (IMCOS-2124-W)
Weight	0,7 Kg (IMCOS-2124), 2 Kg (IMCOS-2124-W)
Ingress protection	IP44


IMCOS-2124 Dimensions & fixing

IMCOS-2124-W Dimensions & fixing



Ordering requirements

The following code is designed to help in selection of the correct unit. Build up the reference number by inserting the code for each component into the appropriate box.



All specifications, dimensions, weights and tolerances are nominal (typical) and Gitiesse reserve the right to vary all data without prior notice. No liability is accepted for any consequence of use.

IMCOS[™] System is type approved by seven marine class societies.



© 2018 Eaton All Rights Reserved Printed in EMEA Reference No. DSIM0019A May 2018

Eaton is a registered trademark. All other trademarks are property of their respective owners.

